

### **OOO INTELMACHINE**


has been producing automated sandwich panel production lines since 2014






### THE COMPANY'S

#### main business lines:





Modular systems for non-standard / customised processes

Scientific development



### ADVANTAGES



#### IN-HOUSE PRODUCTION

Industrial premises with the total area of >2000 sq.m. Scientific and technical laboratory.



#### TEAM OF EXPERTS

In-house design and engineering department. Specialists in mechanics, automation, electronics, IT and robotics.



#### COMPREHENSIVE SOLUTIONS

Modernisation and automation of the technological process of production lines:

- Possibility to install lines in premises from 1000 sqm. and more.
- Modular line system.



#### MPORT SUBSTITUTION

Intelmachine is the only manufacturer of sandwich panel continuous laminating production lines in the Russian Federation. Quick return on investment: from 6 months if production capacity is loaded to 100%.



#### **QUALITY ASSURANCE**

Intelmachine lines are technically superior to other countries manufacturers. Warranty service 12 months. Customer staff training.




## IN-HOUSE PRODUCTION

Location of the company's production facilities is in Lipetsk and Stary Oskol



Scientific and Technical Laboratory, Belgorod





## COMPREHENSIVE SOLUTIONS

Intelmachine, based on the experience of setting up equipment of world brands, found that most units were designed based on general principles, without taking into account related kinematic processes that significantly reduce the direct efficiency of the equipment.

This experience made it possible to take a different approach to design, eliminate the associated negative factors of kinematics and create the 3rd generation lines.





Interview with Mikhail Ignatov

"3 generations of sandwich panel equipment. What is the difference?"

# OUTPUT PRODUCTS SPECIFICATION:



Length of panels: 2.5 to 13 m (optionaly longer)


Panel width: 1000-1200 mm (wall panels) 1000 mm (roof) Core:
mineral wool, lamellas,
EPS and PIR blocks

Density mineral wool: 95 -115 kg/m³

Manufactured products comply in acc. to GOST standard 32603-2021



## SANDWICH PANEL PRODUCTION LINE IS A MODULAR SYSTEM



## EXCLUSIVE CONTINUOUS PRESSING SOLUTION

#### The aim of the development:


maximise the strength of the panels with a perfect surface finish







## THE DYNAMICS OF THE INCREASE IN THE VOLUME OF WORK PERFORMED



Revenue
Data for the last 5 yearsT

## COMPANY REPUTATION













+ 15 partner organisations

# PARTICIPATION IN PARTNERSHIP PROGRAMMES





